

weighing APPARATUS

高性能商用衡器品牌

400 663 1388
全国统一免费热线

SHANGDELI ELECTRONIC INSTRUMENT CO., LTD.
Add: Shangrang Jewels & Crafts Estate, Xiyun District, Putian, P. R. C.
Tel: +86-594-5639888/5271388 Fax: +86-594-6950309
<http://www.naikesi.com.cn>
E-mail: naikesi-export@hotmail.com



* Naikesi * logo is a registered trademark of S.D.L.
Electronic Instruments Co. All rights reserved.



SHANGDELI ELECTRONIC INSTRUMENT CO.,LTD.

Putian Shangdeli Electronic Instrument Co., Ltd. is a science and technology innovative enterprise focusing on the R&D, production and operation of electronic scales. The registered capital is 4 million Yuan. Since the establishment of the R&D team in 2003, the company has achieved fruitful R&D results, passed various certifications and patents, and achieved a leapfrog breakthrough in production and revenue.

The company currently occupies more than 9300 square meters of land for R&D, production, office and other strategic operations. Nexus electronic scales have become close partners of top 100 fresh food chains such as Juguo Yuan, Good Neighbor, Lihao Fruit and Vegetable, Roca Fresh, Liufu Duck, Jiujiu Duck, Maituan, Hungry, Jingkelong, Hualian General Super, Changkelong, China Resources Vanguard, etc. The number of partners has exceeded 23,000, covering 150 sub-sectors and widely used in supermarkets, fresh food chains, retail, catering, supply chain, community group buying. It is widely used in supermarkets, fresh food chains, retail, catering, supply chain, community group purchase, etc. Smart farmers' market has more than 800 mature cases, covering 23 provinces in China. Nexus electronic scales are also exported to 220 countries and regions around the world, such as Spain GIRO, Russia and UK MK Scales Ltd, serving more than 1.8 million merchants.

COMPANY INTRODUCTION



OUR QUALIFICATIONS

- High and New Technology Enterprise
- ISO9001 Quality Management System Certificate.
- Measurement Management System Certificate
- Product certification
- The Advanced Unit of Integrity Management.
- Advanced Unit for Creating Honest Enterprise.
- Innovative pilot enterprise.
- The Fujian Famous Brand Products

OUR PHILOSOPHY

- the enterprise adhering to the integrity, pragmatic, innovative business philosophy, production of first-class products, the achievement of first-class enterprises.

OUR CORE ADVANTAGES

- Professional technical research and development team
- The Semi-automatic production line.
- Mature supply chain.
- Strong financial guarantee
- Huge cooperation team of farmers and traders

2003

Organized R&D team to develop the first electronic balance mainly for the jewelry industry, NS series electronic balance, using the traditional double integral circuit principle

2005

Introduced advanced sigma-delta high-precision analog-to-digital conversion technology, new design concept, professional management experience, so that the product has been initially recognized by peers.

2007

Introduced a full set of EMC testing instruments and environmental testing equipment, and some products have started to apply for OIML EU certificate.

2009

Under the global financial crisis, the company insisted on innovation and made the annual output exceed 50 million, meanwhile, 80 acres of land was acquired for the investment planning of new plant.

2011

Introduced the technology and design concept of German Martin Company, our company independently developed cash register scales and barcode scales, and integrated independent features in the product design. The first original Pinyin input method to solve the traditional way of editing information using Chinese character code.

2020

Self-developed AI identification system, launch AI intelligent label scale to lead the new retail of fresh food

2015-2016

The product is fully promoted, the sales volume is increasing at a rate of 20% per month, while increasing the investment in a semi-automatic production line with an annual output of 200,000 sets of cash registers and barcode scales, some products are exported to Russia, the United Kingdom, Ukraine, India and other countries, the god beast consumer praise and trust.

2023

Adhering to the business philosophy of honesty, pragmatism and innovation, producing first-class products and achieving

2004

Started to invest in the production line of pricing scales

2006

The company entered the stage of large-scale new product development and production, the production of high-quality products quickly opened up the domestic market, and entered the foreign markets such as South-east Asia

2008

The series products have entered the foreign markets such as Russia, Spain, Malaysia, Czech Republic, New Zealand, Argentina and Singapore in batch, and the quality has been further affirmed.

2010

The first 5200 square meters of new factory building was put into production, and the injection molding workshop and automatic PCB mounting workshop were established successively, while the research and development of cash register scale, barcode scale and automatic weighing equipment was started, and the competitiveness of the company was further improved.

2012-2013

According to market demand and customer feedback on the product, a set of product solutions to meet the different levels of consumers, product specific operation is simple, easy to learn, to achieve the characteristics of '10 minutes to easily master the use of the product, and can be completely separated from the PC for all edits

2017-2019

According to market demand, continuous innovation, beyond the self, the introduction of new PC scales, PC platform scales, intelligent traceability scales to meet the needs of the new era of intelligent farmers' market!

2021

Awarded the title of high-tech enterprise

2003 EPIE'S HISTORY OF THE COMPANY 2023 OUR STORY



PC Intelligence Barcode Label Scale

ADS-T+ 02

PC Intelligence Barcode Label Scale

ADS-F+ 04

PC Intelligence Barcode Label Scale

MDS-H++ 06

PC Intelligence Barcode Label Scale

MDS-AI 08

Intelligent identification crane scales

ADS-309 10

AI recognition cashier scale

ADS-CF 12

AI recognition cashier scale

ADS-S 14

Electronic label scale

MDS-H/H+ 16

Bar code label scale

MDS-A+ 18

Bar code label scale

MDS-A/B 20

Bar code label scale

MDS-E 22

Bar code label indicator

ADS-302 24

Replace suspension type bar code label scale

ADS-302T 26

double printing cash register scale

DL-A 28

Cash register scale

ADS-P 30

Cash register scale

ADS-D 32

Cash register scale

GL-A 34

Cash register scale

BL-A 36

Cash register scale

CL-A 38

PC bench scale

ADS-305 40

FRESH FOOD DISTRIBUTION SORTING SCALE

42

Push trolley cashier integrated scale

ADS-306 44

Series of wholesale bench scales

ADS-307 46

Cash indicator

ADS-301 48

Replace suspension type cash scale

ADS-301T 50

Cash scale

ADS-L+ 52

Cash register scale

ADS-E++ 54

Cash scale

ADS-E/E+ 56

Cash scale

ADS-C/C+ 58

Cash scale

ADS-A 60

Print scale

ADS-B 62

Counting bar code scale

ADS-303 64

Counting bar code scale

NDS 64

Communication scale

SF 66

Communication scale

ACS 66



PC INTELLIGENCE BAR
CODE LABEL SCALE
ADS-T+

● MAKING WEIGHING EASIER ●



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	425*340*640 (L*W*H)

FUNCTION

FUNCTION SUMMARY



FIND PRODUCTS QUICKLY

The recognition speed ≤ 0.25 seconds;
-supporting quick search of goods by price, pinyin head and item number at the same time;

EFFICIENT INTELLIGENT WEIGHING

The Automatic identification of goods, to achieve machine instead of manual, to improve efficiency, reduce costs, faster service, better management; support a code of multiple products, commodity classification, commodity pictures, voice broadcast, automatic printing, fast price change and other functional modes; to say goodbye to the traditional memorization of PLU number, ready to learn and use, fast to start;

SIMPLE AND FAST OPERATION

The new employees can be on board without training; no need to install the server, support remote server automatic upgrade;

OPERATING SYSTEM

The customized Android system, the operation is more smooth and stable and efficient;

EASY MANAGEMENT

The Wide area network function, supporting all the supermarket software on the market, remote real-time management of PLU information;

PRECISE IDENTIFICATION OF GOODS

The Support transparent bagged fruit and vegetable products identification; accurate identification rate of 98% or more;

ONE MACHINE WITH TWO USES

Waigher mode and customer self-help mode;

STABLE PRINTING

-pop-up clip paper change structure for pre-loading paper, infinite life large gear structure

THE ULTIMATE TOUCH CONTROL

15" water resistant capacitive touch screen with easy control experience;

CUSTOMIZED SOFTWARE

Customized software Humanized interface, fast classification and editing of products, classification display. Customizable layout of rows and columns.

PARAMETER

TECHNICAL PARAMETER

Screen Display	15"LCD display, optional dual display solution	Display content	Weight, unit price, total, item number, item name, picture, etc.
Touch Screen	Capacitive touch screen	function	Weighing, label printing, data transmission, report, self-service sales, salesman mode, etc.
Paper Size	Maximum print size 100MM×56MM, can print 1D code, 2D code and other barcode, print format can be edited at will	Paper size	
Capacity	15KG/30KG	Interface type	Wireless WiFi, RJ45 (Ethernet)*1, USB*2
Min. weighing	40G/100G	Data transmission	TCP/IP, USB, DHCP support automatic address assignment, automatic backup, commodity data copy
Resolution	2/5G, 5/10G	Data storage	Can edit 1-9999999 PLU numbers and 10000 PLU commodity data
Print Speed	Up to 120MM/S	Power supply	DC24V/5A
Cpu	RK3566/3568	Operating temperature	0°C~40°C
Memory	2GB RAM (optional)	Usage scenario	Fruit, vegetable, meat and other fresh products all categories of weighing goods
Story	16GBEMMC (optional)		
Plu Type	Hotkey number, item number, single product name, package type (fixed weight, pricing, total), traceability code, etc.		
Housing Material	Cast aluminum structure, good heat dissipation efficacy		
Bar Code Type	EAN8, EAN13, EAN128, QR code, etc.		

FUNCTION

FUNCTION SUMMARY



EASY management



PRECISE IDENTIFICATION of goods



FIND PRODUCTS QUICKLY



EFFICIENT intelligent weighing



SIMPLE AND FAST operation



OPERATING system



ONE MACHINE with two uses



STABLE printing



THE ULTIMATE touch control



CUSTOMIZED software

FIND PRODUCTS QUICKLY

The recognition speed \leq 0.25 seconds;

-supporting quick search of goods by price, pinyin head and item number at the same time;

EFFICIENT INTELLIGENT WEIGHING

The Automatic identification of goods, to achieve machine instead of manual, to improve efficiency, reduce costs, faster service, better management; support a code of multiple products, commodity classification, commodity pictures, voice broadcast, automatic printing, fast price change and other functional modes; to say goodbye to the traditional memorization of PLU number, ready to learn and use, fast to start;

SIMPLE AND FAST OPERATION

The new employees can be on board without training; no need to install the server, support remote server automatic upgrade;

OPERATING SYSTEM

The customized Android system, the operation is more smooth and stable and efficient;

EASY MANAGEMENT

The Wide area network function, supporting all the supermarket software on the market, remote real-time management of PLU information;

PRECISE IDENTIFICATION OF GOODS

The Support transparent bagged fruit and vegetable products identification; accurate identification rate of 98% or more;

ONE MACHINE WITH TWO USES

Weigher mode and customer self-help mode;

STABLE PRINTING

-pop-up clip paper change structure for pre-loading paper, infinite life large gear structure

THE ULTIMATE TOUCH CONTROL

15" water resistant capacitive touch screen with easy control experience;

CUSTOMIZED SOFTWARE

Customized software Humanized interface, fast classification and editing of products, classification display. Customizable layout of rows and columns.

PARAMETER

TECHNICAL PARAMETER

Screen Display	15" LCD display, optional dual display solution	Display content	Weight, unit price, total, item number, item name, picture, etc.
Touch Screen	Capacitive touch screen	function	Weighing, label printing, data transmission, report, self-service sales, salesman mode, etc.
Paper Size	Maximum print size 100MMX58MM, can print 1D code, 2D code and other barcode, print format can be edited at will	Paper size	
Capacity	15KG/30KG	Interface type	Wireless WIFI, RJ45 (Ethernet)*1, USB*2
Min. weighing	40G/100G	Data transmission	TCP/IP, USB, DHCP support automatic address assignment, automatic backup, commodity data copy
Resolution	275G, 540G	Data storage	Can edit 1-9999999 PLU numbers and 10000 PLU commodity data
Print Speed	Up to 120MM/S	Power supply	DC24V5A
Cpu	RK3566/3568	Operating temperature	0°C~40°C
Memory	2GB RAM (optional)	Usage scenario	Fruit, vegetable, meat and other fresh products all categories of weighing goods
Story	16GBEMMC (optional)		
Plu Type	Hotkey number, item number, single product name, package type (fixed weight, pricing, total), traceability code, etc.		
Housing Material	Cast aluminum structure, good heat dissipation efficacy		
Bar Code Type	EAN8, EAN13, EAN128, QR code, etc.		

PC INTELLIGENCE BAR
CODE LABEL SCALE

ADS-F+



MEASUREMENT (MM)

SCALE SIZE 380*260 (L*W)
EXTERNAL DIMENSIONS 425*340*640 (L*W*H)

PC INTELLIGENCE BAR
CODE LABEL SCALE

MDS-H++



MEASUREMENT (MM)

SCALE SIZE	390*285 (L*W)
EXTERNAL DIMENSIONS	390*390*535 (L*W*H)

• Fast, accurate and efficient

0.25 seconds extremely fast identification, blink out the results
Recognition accuracy of more than 98%, the bag can brush face
International leading local local offline recognition speed, no need to install server 0.25

PARAMETER

TECHNICAL PARAMETER

Display	Main display 11.6 LCD screen, guest display 7 inch color screen
Touch Method	Capacitive touch screen, with easy control experience
Paper Size	Maximum print size 100MMX56MM, can print 1D code, 2D code and other barcode, print format can be edited at will
Capacity	15KG/30KG
Min.weight	40G/100G
Resolution	2/5G、5/10G
Print Speed	Up to 120MM/S
Cpu	RK3568/3568
Memory	2GB RAM (optional)
Storage	16GB EMMC (optional)
PLU Type	Hotkey number, item number, individual item name, package type (fixed weight, pricing, total), traceability code, etc.
Bar Code Type	EAN8, EAN13, EAN128, QR 2D code, etc.
Display Content	Weight, unit price, total, item number, item name, picture, etc.
Function	Weighing, label printing, data transmission, reports, self-service sales, salesperson mode, etc.
Interfacetype	Wireless WIFI, RJ45 (Ethernet)*1, USB*2, etc.
Data Transfer	TCP/IP, USB, DHCP support automatic IP address assignment, automatic backup, commodity data replication
Data Storage	1-9999999 PLU numbers and 10000 PLU commodity data can be edited
Power Supply	DC24V5A
Operating Temperature	0°C~40°C

THANK YOU FOR CHOOSING NAIKESI

FUNCTION

FUNCTION SUMMARY

- DISPLAY** · 15.6 inch lcd screen
- TOUCH MODE** · capacitive touch screen
- PLU** · hotkey number, item number, single item name, package type (fixed weight, pricing, total), the traceability code, etc.
- KEYBOARD** · 1-9999999 plu numbers, 10,000 plu product information
- tray-membrane touch keyboard for labor-saving and durable operation

PARAMETER

TECHNICAL PARAMETER

Paper size	Maximum print size 100MMX56MM, can print 1D code, 2D code and other barcode, print format can be edited at will
capacity	15KG/30KG
Min.weight	40G/100G
resolution	256.5/103
Print speed	Up to 120MM/S
CPU	RK3566/3568
memory	2GB RAM(optional)
storage	16GB EMMC(optional)
Bar code type	EAN8, EAN13, EAN128, QR 2D code, etc.
Display content	Weight, unit price, total, item number, item name, picture, etc.
function	Weighing, label printing, data transmission, reports, self-service, sales, salesperson mode, etc.
Interface type	Wireless WIFI, RJ45 (Ethernet)*1, USB*2, etc.
Data storage	1-9999999 PLU numbers and 10000 PLU commodity data can be edited
Power supply	DC24V5A
Operating temperature	0°C -40°C

PC INTELLIGENCE BAR
CODE LABEL SCALE

MDS-AI

- Say goodbye to code and save time and effort
- Easy to learn, easy to start
- Second transactions to help operations



MEASUREMENT (MM)

SCALE SIZE	380*280 (L*W)
EXTERNAL DIMENSION	400*440*640 (L*W*H)

INTELLIGENT IDENTIFICATION
CRANE SCALES
ADS-309

- Waterproof and space-saving
- New generation of intelligent hook scales
- Enables fast and accurate weighing
- Optimal support for fresh aquatic products



**BAR CODE
PRINTER**



**TICKET
PRINTER**



MEASUREMENT (MM)
SCALE 512 E 400*300 (L*W)

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-309			
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
PRINT PAPER	Receipt Paper:width≤57mm Diameter≤80mm; Label Paper:width≤62mm			
PRINT PERFORMANCE	Ticket Printer Print Density:8dot/mm Print Width:48mm Print Speed:120mm/s Print Head Life:100km Label Printer Print Density:8dot/mm Print Width:58mm Print Speed:120mm/s Print Head Life:100km			

FUNCTION

FUNCTION SUMMARY

DISPLAY TOUCH MODE

- Dual 14-inch lcd liquid crystal screen
- The ultimate touch 14-inch waterproof drop capacitive touch screen

OPERATING SYSTEM STORAGE STORAGE PRINT

- Custom android system, deeply optimized, more smooth and stable operation
- 2GB RAM
- 16GB EMMC
- High quality thermal printer core

BAR CODE

- Can print a variety of fonts, font sizes, graphics, trademarks and other information.
- Print format can be edited at will
- Print a variety of bar codes such as 1d and 2d codes.
- Hotkey number, item number, item name, traceability code, etc.
- Weight, unit price, total, item number, item name, picture, etc.

PLU TYPE. DISPLAY CONTENT DATA TRANSMISSION

- Tcp/ip, usb, dhcp support automatic ip address assignment, automatic backup, product data copy

INTERFACE TYPE DATA STORAGE

- Wireless wifi, ethernet, usb *2
- Can edit 1-9999999 plu numbers, 10000 plu product information

整机防虫设计

FUNCTION

FUNCTION SUMMARY

**ELECTRONIC SCALE
IMAGE RECOGNITION**

- Recognizable types: fruits and vegetables, aquatic products, meat, etc.
- The Local recognition speed \leq 0.6 seconds

DISPLAY

- 7" color screen with rich and clear display
- The Multi-language can be customized

CPU

- RK3288/3568

MEMORY

- 1G/2G

MEMORY

- 8G/16G

PLU

- 1-99999999 PLU numbers can be edited
- 12000 items can be stored

INTERFACE

- Moneybox interface; Ethernet upload and download

KEYBOARD

- Udisk import and export; scan gun interface
- Thin-film touch keyboard to save effort and durability during operation
- 48 hot keys can be turned 4 pages, quick and easy to insert the hot key piece

SALES

- Multiple groups of pending orders, manual automatic discount, change, change, refund, salesman login lock and other functions

PRINTING

- Print format and barcode format can be edited at will
- Can print a variety of font size, 1D code, 2D code (traceability code), graphics and other information

POWER SUPPLY

- AC and DC dual-use
- Lithium battery power supply, a full charge can standby for 15 hours

**WATERPROOF
OPTIONAL**

- Waterproof grade IP65
- 4G, card reader, scan gun

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3CF	ADS-6CF	ADS-15CF	ADS-30CF
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 / 0.2 / 0.5G	0.2 / 0.5 / 1G	2G / 5G	5G / 10G
KEYBOARD	Hotkey Number:48;function Key Number:25			
PRINT PAPER	Receipt Paper:width \leq 57mm Diameter \leq 80mm;			
PRINTER	Print Density:8dot/mm Print Width:48mm Print Speed:100mm/s Print Head Life:100km			

AI RECOGNITION
CASHIER SCALE

ADS-CF

• better service
• better management



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	398*390*510 (L*W*H)

AI RECOGNITION
CASHIER SCALE

ADS-S series

- AI识别更轻松
AI智能，精准识别
提高收银效率



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	396*500*575 (L*W*H)

整机防虫设计

FUNCTION

FUNCTION SUMMARY

- | | |
|------------------------------------|---|
| CPU | · RK3288/3568 |
| MEMORY | · 1G/2G |
| MEMORY | · 8G/16G |
| ELECTRONIC SCALE IMAGE RECOGNITION | · Recognizable types: fruits and vegetables, aquatic products, meat, etc.
· server identification speed
· The Local recognition speed \leq 0.6 seconds |
| DISPLAY | · 7" color screen with rich and clear display
· The Multi-language can be customized
· receipt code can be displayed during mobile payment |
| PLU | · 1-99999999 PLU numbers can be edited
· 12000 items can be stored |
| INTERFACE | · Moneybox interface; Ethernet upload and download
· Udisk import and export;
· scan gun interface |
| PRINTING | · Print format and barcode format can be edited at will
· Can print a variety of font size, 1D code, 2D code (traceability code), graphics and other information |
| POWER SUPPLY | · AC and DC dual-use
· Lithium battery supply, a full charge can standby for 15 hours |
| WATERPROOF OPTIONAL | · Waterproof grade IP65
· 4G, card reader, scan gun |

PARAMETER

TECHNICAL PARAMETER

model	ADS-3S	ADS-6S	ADS-15S	ADS-30S
capacity	3KG	6KG	15KG	30KG
resolution	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
keyboard	Hotkey Number:63;function Key Number:25			
print paper	Receipt Paper:width \leq 57mm Diameter \leq 80mm;			
printer	Print Density:8dot/mm Print Width:48mm Print Speed:100mm/s Print Head Life:100km			

MDS-H



MDS-H+



ELECTRONIC LABEL SCALE
MDS-H/H+ series

MEASUREMENT (MM)

SCALE SIZE	390*285 (L*W)
EXTERNAL DIMENSIONS	390*390*535 (L*W*H)

FUNCTION

FUNCTION SUMMARY


- BODY**
 - Cast aluminum body structure
 - 304 stainless steel scales
- DISPLAY**
 - 7 inch color screen with rich and clear display.
 - Customizable multi-language
- PLU**
 - 1-9999999 PLU numbers can be edited
 - The 12,000 items of product information can be stored
 - The Each product information can carry 7 text information.
 - The Each product can be customized with print format, barcode format, barcode label number, etc.
- INTERFACE COMMUNICATION**
 - Ethernet interface, USB interface
 - Support TCP/IP protocol (LAN and WAN)
 - Communication with all supermarket software on the market in a compatible way
- KEYBOARD**
 - Membrane touch waterproof keyboard, Realize labor-saving and durable operation.
 - 77 hot keys can be turned 2 pages, quick and easy to insert and remove the hot key piece
- SALES**
 - support fixed weight, pricing, platter and other sales mode
 - With fast price change, manual weight, digital tare, discount and other functions
- PRINTING**
 - Stand-up printer structure to avoid dust deposited on the paper sensing head, resulting in misprinted paper and other problems
 - The Easy and fast paper loading and unloading
 - The Print format and barcode format can be edited at will
 - Print a variety of font sizes, 1D code, 2D code, graphic trademark and other information

整机防虫设计

PARAMETER

TECHNICAL PARAMETER

model	ADS-3S	ADS-6S	ADS-15S	ADS-30S
capacity	3KG	6KG	15KG	30KG
resolution	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
keyboard	Hotkey Number:77,function Key Number:28			
print paper	Receipt Paper:width ≤62mm ;			
printer	Print Density:8dot/mm Print Width:58mm Print Speed:100mm/s Print Head Life:150km Print Label Length:≤150mm			



BAR CODE LABEL
SCALE

MDS-A+ series



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	480*440*575 (L*W*H)

整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY**
 - 5 inch color screen graphic display
 - Display graphic, text ads when idle, and multiple groups of ads can be automatically rotated
- PLU**
 - Multiple languages can be customized
 - 1-99999999 PLU numbers can be edited
- REPORTS**
 - Store 400 product pictures and 12000 product information
 - 8,000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, salesperson and other report interfaces can be queried
- COMMUNICATION**
 - Ethernet interface for uploading and downloading; U disk import and export
 - The Support TCP / IP protocol (support LAN, WAN)
 - Communication with all the supermarket software on the market through the compatible way
- MANAGEMENT**
 - The Cooperate with the management software that comes with the machine to realize the profit inquiry of sales and inventory management
- KEYBOARD**
 - Membrane touch keyboard to achieve the operation of labor-saving durable
 - 88 hot keys can turn 4 pages, quick and easy to insert the hot key piece
- SALES**
 - Support fixed weight, pricing, platter (total) and other sales mode
 - With fast price change, manual weight, digital tare, manual discount and other functions
- PRINT**
 - The Print format, barcode format arbitrary editing
 - The can print a variety of font size, -dimensional code, two-dimensional code, graphic type and other information
 - Optional. Built-in wireless module, build a flexible wireless solution

PARAMETER

TECHNICAL PARAMETER

model	MDS-3A+	MDS-6A+	MDS-15A+	MDS-30A+
capacity	3KG	6KG	15KG	30KG
resolution	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
keyboard	Hotkey Number:88;function Key Number:28			
print paper	receipt paper:width ≤62MM			
printer	Print Density:8dot/mm Print Width:58mm Print Speed:100mm/s Print Head Life:150km			



整机防虫设计

FUNCTION

FUNCTION SUMMARY

- SHOW**
- The Full Chinese display interface
 - The Pinyin input method on the scale to edit product information, store name, etc.
 - Full Chinese prompt for error messages and operation information
 - Full Chinese guidance for setting interface
- PLU**
- 1-99999999 PLU numbers can be edited
 - 12000 PLUs can be stored
 - Each PLU can carry product description, barcode, expiration date and other information individually
- REPORT**
- The 8,000 single sales details can be stored, and the previous record will be deleted automatically when it is full.
 - Year, month, day, single item, exception, salesperson report, etc. can be checked
- INTERFACE COMMUNICATION**
- Ethernet upload and download; U disk import and export;
 - The Support TCP / IP protocol (support LAN, WAN)
 - Through the compatible way can communicate with all the supermarket software on the market
- MANAGEMENT**
- The Cooperate with the management software of this machine to realize the management of sales and inventory, profit inquiry, etc.
- KEYBOARD**
- Film touch keyboard to achieve the operation of labor-saving durable
 - 88 (72) hot keys can be turned 4 pages, quick and easy to insert and remove the hot key piece
- SALES**
- The Support fixed weight, pricing, platter (total) and other sales models
 - The With fast sales mode and normal sales mode switch function
 - with fast price change, manual weight, digital tare, manual discount and other functions
- PRINTING**
- The Print format, barcode format arbitrary editing
 - Can print a variety of font size, 1D code, 2D code, graphic type and other information
- OPTIONAL**
- Built-in wireless module, build a flexible wireless solution

PARAMETER

TECHNICAL PARAMETER

model	MDS-3A/B	MDS-6A/B	MDS-15A/B	MDS-30A/B
capacity	3KG	6KG	15KG	30KG
resolution	0.1 / 0.2 / 0.5G	0.2 / 0.5 / 1G	2G / 5G	5G / 10G
keyboard	Hotkey Number:88;function Key Number:72			
print paper	Continuous Thermal Paper,label Thermal Paper; Paper:width≤62mm			
printer	Print Density:8dot/mm Print Width:58mm Print Speed:100mm/s Print Head Life:150km Print Label Length:<150mm			



MDS-A



BAR CODE LABEL
SCALE

MDS-A/B Series

MDS-B



BAR CODE LABEL
SCALE

MDS-E series



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	400*440*565 (L*W*H)

◎ 整机防虫设计

FUNCTION

FUNCTION SUMMARY

- SHOW PLU**
 - The LED display interface
 - The 1-99999999 PLU numbers can be edited
 - 12000 PLUs can be stored
 - The Each PLU can carry product description, barcode, expiration date and other information individually
- INTERFACES COMMUNICATION**
 - Ethernet upload and download; USB flash drive import and export
 - TCP/IP protocol support (LAN, WAN)
 - It can communicate with all supermarket software on the market through compatible methods.
- MANAGEMENT**
 - Cooperate with the management software of this machine to realize the management of sales and inventory, profit inquiry, etc.
- KEYBOARD**
 - Membrane touch keyboard to achieve the operation of labor-saving and durable
 - 88 hotkeys can be turned 4 pages, to achieve quick and easy to insert and update the hotkey piece
- SALES**
 - Support sales mode of fixed weight, pricing, plating (total), etc.
 - With fast sales mode and normal sales mode switch function
 - With fast price change, manual weight, digital tare, manual discount and other functions code.
 - With fast price change, manual weight, digital tare, manual discounting and other functions
- BARCODE PRINTING**
 - The Support 1D code and 2D code
 - The Print format and barcode format can be edited at will
 - Print a variety of font size, -dimensional code, two-dimensional code, graphic type and other information
- OPTIONAL**
 - The Built-in wireless module to build a flexible wireless solution.

PARAMETER

TECHNICAL PARAMETER

model	MDS-3E	MDS-6E	MDS-15E	MDS-30E
capacity	3KG	6KG	15KG	30KG
resolution	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
keyboard	Hotkey Number:88			
print paper	Continuous Thermal Paper, label Thermal Paper; Paper:width≤62mm			
printer	8dot/mm Print Area:58mm Print Head Life:150km			



WI FI WIRELESS SOLUTION
BUILD FLEXIBLE WIRELESS SOLUTION

OPTIONAL

MOBILE PHONE TABLET SEARCH
STORE DATA AND SALES REPORTS

整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY**
- The 5-inch color screen graphic display
 - Display graphic, text ads when idle, and multiple groups of ads can be automatically rotated
- PLU**
- The Multiple languages can be customized
 - 1-99999999 PLU numbers can be edited.
 - Store 12000 items of product information
- TABLE**
- 8,000 single sales details can be stored, and the previous record will be deleted automatically
 - Year, month, day, single product, salesperson and other reports can be queried
- INTERFACE**
- Ethernet interface to upload and download; U disk import and export;
 - The The aviation plug can be connected to multiple external sensors
- COMMUNICATION**
- Support TCP / IP protocol (support LAN, WAN)
 - Communication with all the supermarket software on the market through the compatible way
- MANAGEMENT**
- With the management software of the machine to achieve sales and inventory management, profit inquiry
- KEYBOARD**
- Membrane touch keyboard to achieve labor-saving and durable operation
 - 56 hot keys can be turned 4 pages, quick and easy to insert the hot key piece sold
 - The Support fixed weight, pricing, platter (total) and other sales models
 - with fast price change, manual weight, digital tare, manual discount and other functions
- PRINTING**
- printing format, barcode format arbitrary editing
 - The Can print a variety of font size, 1D code, 2D code, graphic type and other information
- OPTIONAL**
- The Built-in wireless module, build a flexible wireless solution

PARAMETER

TECHNICAL PARAMETER

model	Ads-302
keyboard	Hotkey Number:56;function Key Number:28
print paper	Label Paper Width:width<62mm
print capacity	Print Density:8 Dot/mm;print Width:58mm;print Speed:100mm/s; Print Head Life:150km



MEASUREMENT (MM)

EXTERNAL DIMENSIONS 305*245*210 (L*W*H)

BAR CODE LABEL
SCALE

ADS-302



REPLACE SUSPENSION TYPE
BAR CODE LABEL SCALE

ADS-302T



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	425*320*640 (L*W*H)

FUNCTION


FUNCTION SUMMARY

- DISPLAY**
 - The 5-inch color screen graphic display
 - Display graphic, text ads when idle, and multiple groups of ads can be automatically rotated
- PLU**
 - The Multiple languages can be customized
 - 1-99999999 PLU numbers can be edited
 - 400 product pictures and 12000 product information can be stored.
- STATEMENT**
 - The 8,000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, salesperson and other report interfaces can be queried
- COMMUNICATION**
 - Ethernet interface upload and download; U disk import and export;
 - Support TCP / IP protocol (support LAN, WAN)
 - The Through the compatible way can communicate with all the super-market software on the market
- MANAGEMENT**
 - The With the management software of the machine to achieve sales and inventory management, profit inquiry
- KEYBOARD**
 - Membrane touch keyboard to achieve the operation of labor-saving durable
 - 56 hot keys can be turned 4 pages, fast and easy to insert the hot key piece
- SALES**
 - Support fixed weight, pricing, platter (total) and other sales mode
 - with fast price change, manual weight, digital tare, manual discount and other functions.
- PRINT**
 - The Print format, barcode format arbitrary editing
 - The can print a variety of font size, 1D code, 2D code, graphic type and other information
- ANTI-INSECT**
 - The scale body gap is less than 0.3MM, to eliminate the invasion of cockroaches
- WATER**
 - The circuitry is highly integrated into the scale head to avoid water damage to the circuitry, keys, etc.
- OPTIONAL**
 - Built-in wireless module for flexible wireless solutions

PARAMETER

TECHNICAL PARAMETER

model	ADS-302T			
capacity	3KG	6KG	15KG	30KG
resolution	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
keyboard	hotkey number :56; function key number:28			
print paper	label paper width<62MM			
printer	print density:8 dot/MM;print width:58MM;			





● 整机防虫设计

FUNCTION

FUNCTION SUMMARY

- | | |
|------------------------------------|---|
| BODY | · Aluminum alloy scale structure, with good heat dissipation efficacy |
| DISPLAY MEACHINE TOUCH MODE | · 15.6" or 15" Touch Screen |
| PROCESSOR | · Capacitive touch screen, with good touch experience |
| MEMORY | · Intelj1900 |
| HARD DISK | · Ddr34g |
| OPERATING SYSTEM | · Ssd msats 64g |
| DISPLAY | · Windows (can be customized android system) |
| COMMUNICATION | · Main customer screen with different display function, the main display cashier customer display advertising |
| BUILT-IN INTERFACE | · Both support ethernet, wifi, 3g / 4g |
| INTERFACE | · 58 hit machine; rfid card reader (optional) |
| | · Money box port x1, network port x1, usb4, serial port x1, vga x1, |

PARAMETER

TECHNICAL PARAMETER

MODEL	DL-3A	DL-6A	DL-15A	DL-30A
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
CASH PRINTER	Automatic Paper Cutting;print Life:80km;print Speed:100mm/s; Print Paper:50*57mm			
LABEL PRINTER	Print Life:150km;print Speed:100mm/s;print Width:60mm			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC24V/2.5A			
POWER	60W			

DOUBLE PRINTING CASH REGISTER SCALE

DL-A series

● TWO-IN-ONE CHECKOUT AND LABELING



MEASUREMENT (MM)

SCALE SIZE	390*285 (L*W)
EXTERNAL DIMENSIONS	400*340*640 (L*W*H)

CASH REGISTER
SCALE

ADS-P series

MAKING WEIGHING EASIER



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	425*340*640 (L*W*H)

整机防虫设计



FUNCTION

FUNCTION SUMMARY

- | | |
|------------------|---|
| MATERIAL | · Aluminum Body |
| DISPLAY TOUCH | · 12.1" or 15" Touch Screen
· Capacitance Touch Screen ,solve the traditional resistive screen unresponsive,laborious and other problems |
| CPU | · Intel J1900 |
| STORAGE | · DDR34G |
| HARD DISK | · SSD MSATS 64G |
| OPERATION SYSTEM | · WINDOWS(customizable android system) |
| DISPLAY | · the main customer screen has a different display function,the main display cashir customer display advertising both |
| COMMUNICATION | · Support Ethernet ; WIFI ;3G/4G |
| BUILT - IN PORT | · 58 Receipt Printer ; RFID Card Reader (Optional)
· Cash Drawer Port x1、 Ethernet Port x1、 USB x4、 Serial Port x1、 VGA x1、 Ps2x1、 Audio Port x1 |

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3P	ADS-6P	ADS-15P	ADS-30P
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
PRINTER	Print Life:80km;print Speed:100mm/s			
PRINT PAPER	receipt Cash Paper:50x57			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC12V/5A			
POWER	36W			

◎ 整机防尘设计



FUNCTION

FUNCTION SUMMARY

- | | |
|------------------|---|
| MATERIAL | · Aluminum Body |
| DISPLAY | · 12.1" or 15" Touch Screen |
| TOUCH | · Capacitance Touch Screen ,solve the traditional resistive screen unresponsive, laborious and other problems |
| CPU | · Intel J1900 |
| STORAGE | · DDR34G |
| HARD DISK | · SSD MSATS 64G |
| OPERATION SYSTEM | · WINDOWS(customizable android system) |
| DISPLAY | · the main customer screen has a different display function,the main display cashir customer display advertising both |
| COMMUNICATION | · Support Ethernet ; WIFI ;3G/4G |
| BUILT - IN PORT | · 58 Receipt Printer ; RFID Card Reader (Optional)
· Cash Drawer Port x1、 Ethernet Port x1、 USB x4、 Serial Port x1、 VGA x1、 Ps2x1、 Audio Port x1 |

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3D	ADS-6D	ADS-15D	ADS-30D
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
PRINTER	Print Life:80km;print Speed:100mm/s			
PRINT PAPER	receipt Cash Paper:50x57			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC12V/5A			
POWER	36W			

MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	425*340*640 (L*W*H)



CASH REGISTER
SCALE
GL-A series



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	425*340*640 (L*W*H)

整机防虫设计



FUNCTION

FUNCTION SUMMARY

- | | |
|------------------|---|
| MATERIAL | · Aluminum Body |
| DISPLAY | · dual 15.6' |
| TOUCH | · Capacitance Touch Screen ,solve the traditional resistive screen unresponsive,laborious and other problems |
| CPU | · Intel J1900 |
| STORAGE | · DDR34G |
| HARD DISK | · SSD MSATS 64G |
| OPERATION SYSTEM | · WINDOWS |
| DISPLAY | · the main customer screen has a different display function,the main display cashir customer display advertising both |
| COMMUNICATION | · Support Ethernet ; WIFI ;3G/4G |
| BUILT - IN | · 58 Receipt Printer ; RFID Card Reader (Optional) |
| POR T | · Cash Drawer Port x1、 Ethernet Port x1、 USB x4、 Serial Port x1、 VGA x1、 Ps2x1、 Audio Port x1 |

PARAMETER

TECHNICAL PARAMETER

MODEL	GL-3A	GL-6A	GL-15A	GL-30A
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
PRINTER	Automatic Paper Cutting;print Life:30km;print Speed:100mm/s			
PRINT PAPER	receipt Cash Paper:50x57			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC12V/5A			
POWER	36W			

整机防虫设计



FUNCTION

FUNCTION SUMMARY

- | | |
|------------------|---|
| DISPLAY TOUCH | · 12.1" or 15" Touch Screen
· Capacitance Touch Screen ,solve the traditional resistive screen unresponsive,laborious and other problems |
| CPU | · Intel J1800 |
| STORAGE | · DDR34G |
| HARD DISK | · SSD MSATS 64G |
| OPERATION SYSTEM | · WINDOWS(customizable android system) |
| DISPLAY | · the main customer screen has a different display function,the main display cashir customer display advertising both |
| COMMUNICATION | · Support Ethernet ; WIFI ;3G/4G |
| BUILT - IN PORT | · 58 Receipt Printer ; RFID Card Reader (Optional)
· Cash Drawer Port x1、 Ethernet Port x1、 USB x4、 Serial Port x1、 VGA x1、 Ps2x1、 Audio Port x1 |

PARAMETER

TECHNICAL PARAMETER

MODEL	BL-3A	BL-6A	BL-15A	BL-30A
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
PRINTER	Print Life:80km;print Speed:100mm/s			
PRINT PAPER	receipt Cash Paper:50x57			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC12V/5A			
POWER	36W			



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	390*410*590 (L*W*H)

CASH REGISTER
SCALE
CL-A series



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	390*410*590 (L*W*H)

◎整机防虫设计



FUNCTION

FUNCTION SUMMARY

- | | |
|------------------|---|
| MATERIAL | · Aluminum Body |
| DISPLAY | · dual 15.6" |
| TOUCH | · Capacitance Touch Screen ,solve the traditional resistive screen unresponsive,laborious and other problems |
| CPU | · Intel J1800 |
| STORAGE | · DDR34G |
| HARD DISK | · SSD MSATS 64G |
| OPERATION SYSTEM | · WINDOWS(customizable android system) |
| DISPLAY | · the main customer screen has a different display function,the main display cashir customer display advertising both |
| COMMUNICATION | · Support Ethernet ; WIFI ;3G/4G |
| BUILT - IN | · 58 Receipt Printer ; RFID Card Reader (Optional) |
| PORT | · Cash Drawer Port x1、 Ethernet Port x1、 USB x4、 Serial Port x1、 VGA x1、 Ps2x1、 Audio Port x1 |

PARAMETER

TECHNICAL PARAMETER

MODEL	CL-3A	CL-6A	CL-15A	CL-30A
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
PRINTER	Print Life:80km;print Speed:100mm/s			
PRINTER PAPER	receipt Cash Paper:50x57			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC12V/5A			
POWER	36W			

◎整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY · 15'
- TOUCH SCREEN · Capacitance Touch Screen ,solve the traditional resistive screen unresponsive,laborious and other problems
- CPU · Intel J1900
- STORAGE · DDR3 4G
- HARD DISK · SSD MSATS 64G
- OPERATION SYSTEM · WINDOWSS(customizable android system)
- DISPLAY · The main customer screen has a different display function,the main display cashir customer display advertising both
- COMMUNICATION · Support Ethernet ; WIFI ;3G/4G
- BUILT – IN · 58 Receipt Printer ; RFID Card Reader (Optional)
- PORT · Cash Drawer Port x1、 Ethernet Port x1、 USB x4、 Serial Port x1、 VGA x1、 Ps2x1、 Audio Port x1

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-305	
CAPACITY	60-600KG	600KG以上
RESOLUTION	10-200G	200G以上
WEIGHING PLATFORM	Stainless Steel:30x40cm;40x50cm;50x80cm	Customized
PRINTER	Self-service Paper Cutting Function;printe Life:80km; Print Speed:100mm/s	
PRINT PAPER	Receipt Cash Paper:50x57	
WORK TEMPERATURE	-20C-40℃	
POWER SUPPLY	DC12V/5A	
POWER	36W	

PC BENCH SCALE

ADS-305

- robust and durable design
- high quality components



FRESH FOOD DISTRIBUTION SORTING SCALES

- The display can be rotated 180 degrees up and down, left and right, the angle can be adjusted suitable for operators of different heights •



整机防尘设计

FUNCTION

FUNCTION SUMMARY

- | | |
|-------------------------|---|
| BODY | · carbon steel weighing platform, - push-pull universal wheels |
| SCALES | · stainless steel scales |
| MONITORS | · 15.6 inch |
| TOUCH MODE | · capacitive touch screen |
| OPERATION SYSTEM | · WINDOWS/ANDROID |
| COMMUNICATION | · support Ethernet ; WIFI;4G(optional) |
| PRINT | · label or cash printer(optional) |
| POWER SUPPLY | · Build-in lithium battery standby time up to 15 hours |
| WATERPROOF | · independent weighing, platform at the bottom, more waterproof |
| WEIGHING RANGE | · 15KG-3000KG, can be customized |



OPTIONAL

● 整机防虫设计

FUNCTION

FUNCTION SUMMARY

BODY	· carbon steel weighing platform, push-pull universal wheels
SCALES	· stainless steel scales
MONITORS	· 15.6 inch
TOUCH MODE	· capacitive touch screen
OPERATION SYSTEM	· WINDOWS/ANDROID
COMMUNICATION	· support Ethernet ; WIFI;4G(optional)
BUILT-IN	· 58 printer
POWER SUPPLY	· lithium battery (optional)
WATERPROOF	· independent weighing, platform at the bottom, more waterproof

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-306			
CAPACITY	300KG	600KG	1000KG	1000KG以上
RESOLUTION	100G	200G	500G	500G以上
WEIGHING PLATFORM	Stainless Steel: 500x600cm		Customized	
PRINTER	Print Life:80km;print Speed:100mm/s			
PRINT PAPER	Receipt Cash Paper:50x57			
WORK TEMPERATURE	-20C-40°C			
POWER SUPPLY	DC12V/5A			
POWER	36W			

PUSH TROLLEY CASHIER
INTEGRATED SCALE

ADS-306 Series

- metal countertop
- stable and durable
- industrial grade hardware design




SERIES OF WHOLESALE
BENCH SCALES
ADS-307 series



*PUSH
BUTTON
MODELS*



*TOUCH
MODEL*



FUNCTION

FUNCTION SUMMARY

- | | |
|------------------|--|
| BODY | · Carbon steel weighing platform, push-pull universal wheels |
| SCALES | · Stainless steel scales |
| OPERATION SYSTEM | · ANDROID |
| COMMUNICATION | · Support ethernet ; wifi; 4g(optional) |
| PRINT | · label or cash printer |
| POWER | · Build-in lithium battery standby time up to 15 hours |
| WEIGHING RANGE | · 15kg-3000kg can be customized |



Wi Fi WIRELESS SOLUTION <small>BUILD FLEXIBLE WIRELESS SOLUTION</small>	RFID BUILT-IN RFID <small>BUILD FLEXIBLE WIRELESS SOLUTION</small>	MOBILE PHONE TABLET SEARCH <small>STORE DATA AND SALES REPORTS</small>	OPTIONAL
---	--	--	-----------------

◎ 整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY**
- The 5-inch color screen graphic display
 - The Display graphic, text ads when idle, and multiple groups of ads can be automatically rotated
 - The Multiple languages can be customized
 - Receipt code can be displayed during mobile payment
- PLU**
- The Editable -999999 PLU numbers
 - The Store 400 product images and 12000 product information
- REPORTS**
- The 16,000 single sales details can be stored and the top record will be deleted automatically when it is full
 - Yearly, monthly, daily, single product, exception, member, salesperson and other reports can be checked.
- INTERFACE**
- Money box interface; Ethernet interface upload and download; U disk import and export;
 - Scanning gun interface; aviation plug can be connected to multiple external sensors
- COMMUNICATION MANAGEMENT**
- The Support TCP /IP protocol
 - The Simple inventory management can be realized with the management software that comes with the machine
- MEMBERSHIP EDIT**
- Membership recharge, card payment, points, level discount and other functions
 - The Full Chinese display interface
 - The Edit product information, store name, address, phone number, advertisement, etc. directly on the scale through Pinyin input method
- KEYBOARD**
- Membrane touch keyboard to achieve the operation of labor-saving durable
 - 48 hot keys can be turned 4 pages, quick and easy to insert the hot key piece
- SALES**
- The Multiple groups of pending orders, manual automatic discount, change, erase change, return orders, salesman login lock and other functions
- PRINTING**
- Print format and barcode format can be edited at will
 - The Can print a variety of fonts, font size, -dimensional code, two-dimensional code (traceability code), graphics and other information
- POWER SUPPLY**
- AC and DC dual-use
 - Lithium battery power supply
 - A full charge can standby for 15 hours

THIS MACHINE IS DIVIDED INTO TWO MODELS: STAND-ALONE VERSION AND CHAIN VERSION

- CHAIN VERSION**
- The Support LAN and WAN, realize multi-scales network and multi-store chain
 - The Support offline sales, automatic uploading of offline data after communication resumes normal
 - The Docking with third-party software to achieve traceability management, sales and inventory management, membership management, mobile payment; bank card payment, membership card payment, and other functions

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-301
KEYBOARD	热键: 48个; 功能键: 35个
PRINT PAPER	Receipt Paper<57mm, Diameter<80mm
PRINT PERFORMANCE	Print Density:8 Dot/mm; print Width:48mm; print Speed:100mm/s; Print Head Life:100km



Wi-Fi WIRELESS SOLUTION
BUILD FLEXIBLE WIRELESS SOLUTION

RFID BUILT-IN RFID
BUILD FLEXIBLE WIRELESS SOLUTION

MOBILE PHONE TABLET SEARCH
STORE DATA AND SALES REPORTS

OPTIONAL

MEASUREMENT (MM)

EXTERNAL DIMENSIONS: 305*245*210 (L*W*H)

CASH REGISTER
METERS
ADS-301



SEVEN

THANK YOU FOR CHOOSING NAIKESI

DESKTOP
CASH REGISTER SCALE
ADS-301T



MEASUREMENT (MM)
SCALE SIZE 380*260 (L*W)
EXTERNAL DIMENSIONS 425*320*640 (L*W*H)

整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY**
 - The 5-inch color screen graphic display
 - The Display graphic, text ads when idle, and multiple groups of ads can be automatically rotated
 - The Multiple languages can be customized
 - Receipt code can be displayed during mobile payment
- PLU**
 - The Editable -999999 PLU numbers
 - The Store 400 product images and 12000 product information
- REPORTS**
 - The 16,000 single sales details can be stored and the top record will be deleted automatically when it is full
 - Yearly, monthly, daily, single product, exception, member, salesperson and other reports can be checked.
- INTERFACE**
 - Money box interface; Ethernet interface upload and download; U disk import and export;
 - Scanning gun interface, aviation plug can be connected to multiple external sensors
- COMMUNICATION MANAGEMENT**
 - The Support TCP / IP protocol
 - The Simple inventory management can be realized with the management software that comes with the machine
- MEMBERSHIP EDIT**
 - Membership recharge, card payment, points, level discount and other functions
 - The Full Chinese display interface
 - The Edit product information, store name, address, phone number, advertisement, etc. directly on the scale through Pinyin input method
- KEYBOARD**
 - Membrane touch keyboard to achieve the operation of labor-saving durable
 - 48 hot keys can be turned 4 pages, quick and easy to insert the hot key piece
- SALES**
 - The Multiple groups of pending orders, manual automatic discount, change, erase charge, return orders, salesman login lock and other functions
- PRINTING**
 - Print format and barcode format can be edited at will
 - The Can print a variety of fonts, font size, -dimensional code, two-dimensional code (traceability code), graphics and other information
- POWER SUPPLY**
 - AC and DC dual-use
 - Lithium battery power supply
 - A full charge can standby for 15 hours

- THIS MACHINE IS DIVIDED INTO TWO MODELS: STAND-ALONE VERSION AND CHAIN VERSION**
- CHAIN VERSION**
 - The Support LAN and WAN, realize multi-scales network and multi-store chain
 - The Support offline sales, automatic uploading of offline data after communication resumes normal
 - The Docking with third-party software to achieve traceability management, sales and inventory management, membership management, mobile payment; bank card payment, membership card payment, and other functions

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-301T				
CAPACITY	3KG	6KG	15KG	30KG	40KG
RESOLUTION	0.1 / 0.2 / 0.5G	0.2 / 0.5 / 1G	2G / 5G	5G / 10G	5G / 10G
KEYBOARD	Hotkey Number:48;function Key Number:35				
PRINT PAPER	Print Paper:receipt Paper Width<57mm;diameter:80mm				
PRINT PERFORMANCE	Print Performance:print Density:8 Dot/mm;print Width:48mm; print Speed:100mm/s				



WiFi WIRELESS SOLUTION BUILD FLEXIBLE WIRELESS SOLUTION
RFID BUILT-IN RFID BUILD FLEXIBLE WIRELESS SOLUTION
MOBILE PHONE TABLE DISPLAY STORE DATA AND SALES REPORTS
OPTIONAL

整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY**
 - The 5-inch color screen graphic display
 - The Display graphic, text ads when idle, and multiple groups of ads can be automatically rotated
 - The Mobile payment can display the code
- PLU**
 - 1-99999999 PLU numbers can be edited
 - 400 product pictures and 12000 product information can be stored
- REPORT**
 - The 16000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, exception, member, salesperson report, etc.
- INTERFACE**
 - Money box interface; Ethernet upload and download; U disk import and export
 - The Scanning gun interface
- MEMBERSHIP PAYMENT**
 - Membership recharge, card payment, points, level discount and other function
 - Support docking WeChat, Alipay and other third-party payments, support the main sweep and swept mode
- EDIT**
 - The Full Chinese display interface
 - The Edit product information, store name, address, phone number, advertisement, etc. via Pinyin input method directly on the scale
- KEYBOARD**
 - Membrane touch keyboard to achieve the operation of labor-saving durable
 - 48 hot keys can be turned 4 pages, quick and easy to insert the hot key piece
- SELL**
 - The Multiple groups of pending orders, hand automatic discount, change, wipe the change, return orders, salesman login lock and other functions
- PRINTING**
 - Print format and barcode format can be edited at will
 - The Can print a variety of font size, 1D code, 2D code (traceability code), graphics and other information, support sweeping code traceability
- POWER SUPPLY**
 - AC and DC dual-use
 - The When powered by lithium battery, it can standby for 15 hours with one full charge.
- ANTI-INSECT WATERPROOF OPTIONAL**
 - The gap of the scale body is less than 0.3MM, eliminating cockroach intrusion.
 - The circuitry is highly concentrated on the scale pole, so the scale can be used in water
 - WIFI, Bluetooth, 4G, card reader, scan gun.

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3L+	ADS-6L+	ADS-15L+	ADS-30L+
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1 /0.2/0.5G	0.2/0.5/1G	2G/5G	5G/ 10G
KEYBOARD	Hotkey Number:48;function Key Number:25			
PRINT PAPER	receipt Paper Width<57mm; diameter:80mm			
PRINT PERFORMANCE	Print Performance:print Density:8 Dot/mm;print Width:48mm; print Speed:100mm/s			



WIFI WIRELESS SOLUTION BUILD FILEABLE WIRELESS SOLUTION
RFID BUILT-IN RFID BUILD FILEABLE WIRELESS SOLUTION
MOBILE PHONE TABLET SEARCH STORE DATA AND SALES REPORTS
OPTIONAL

CASH SCALE

ADS-L+ series



MEASUREMENT (MM)

SCALE SIZE	380*260 (L*W)
EXTERNAL DIMENSIONS	390*370*570 (L*W*H)

CASH REGISTER
SCALE
ADS-E++ series



MEASUREMENT (MM)
SCALE SIZE 380*260 (L*W)
EXTERNAL DIMENSIONS 400*440*565 (L*W*H)

整机防虫设计

FUNCTION

FUNCTION SUMMARY

- DISPLAY**
 - The 5-inch color screen graphic display
 - The Display graphic and text ads when idle, and multiple groups of ads can be automatically rotated.
 - Display the receipt code when mobile payment is made
- PLU**
 - 1-99999999 PLU numbers can be edited
 - Store 400 product pictures and 12000 product information
- REPORTS**
 - The 8,000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, exception, member, salesperson report, etc.
- INTERFACE**
 - Money box interface; Ethernet interface for uploading and downloading;
 - U disk import and export; scan gun interface
- COMMUNICATION**
 - The Support TCP / IP protocol
 - The It can communicate with all the supermarket software on the market through the compatible way
- MANAGEMENT**
 - With the management software that comes with the machine to achieve sales and inventory management, profit inquiry
- MEMBERSHIP EDIT**
 - Member recharge, card payment, points, level discount and other functions
 - The Full Chinese display interface
 - The Direct scale through Pinyin input method. Edit product information, store name, address, phone number, advertisement, etc. on the
- KEYBOARD**
 - film touch keyboard to achieve labor-saving and durable when operating
 - 99 hot keys can be turned 4 pages, quick and easy to insert and remove the hot key piece
- SALES**
 - The Duplex machine to achieve automatic memory of each record after typing labels, no need to scan to print receipts directly
- PRINTING**
 - One machine for multiple uses, efficient and convenient
 - High quality thermal printer core
 - The Print a variety of fonts, font sizes, graphics, trademarks and other information
 - The The barcode and print format can be edited at will
 - Can print 1D code, 2D code
- BAR CODE OPTIONAL**
 - The Built-in wireless module to build a flexible wireless solution
 - The machine is divided into two models: stand-alone version and chain version
- CHAIN VERSION**
 - Support LAN and WAN, realize multi-scales network and multi-store chain
 - The Support offline sales, automatically upload offline data after communication resumes normal
 - The Docking with third-party software to achieve traceability management, sales and inventory management, membership management, mobile payment; bank card payment, membership card payment, and other functions

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3E++	ADS-6E++	ADS-15E++	ADS-30E++
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
KEYBOARD	hotkey number:99;function key number:35			
PRINT PAPER	receipt paper:width<57MM diameter<50MM			
PRINT PERFORMANCE	print density:8 dot/MM;print width:48MM;print speed:100MM/S print head life:80KM/S			



WIRELESS SOLUTION BUILD FLEXIBLE WIRELESS SOLUTION
 BUILT-IN RFID BUILD FLEXIBLE WIRELESS SOLUTION
 MOBILE PHONE TABLET SEARCH STORE DATA AND SALES REPORTS
 OPTIONAL

FUNCTION

FUNCTION SUMMARY

- SHOW**
 - The Full Chinese display interface
 - The Pinyin input method on the scale to edit product information, store name, etc.
 - The Full Chinese prompts for error messages and operation information
 - PLU**
 - Full Chinese guidance for setting interface
 - 1 to 999999 PLU numbers can be edited
 - The 12000 PLUs can be stored
 - REPORTS**
 - The 16000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, exception, salesperson report, etc. can be queried
 - INTERFACE**
 - The Money box interface; Ethernet upload and download
 - U disk import and export; scan gun interface
 - COMMUNICATION MANAGEMENT**
 - The Support TCP/IP protocol
 - The With the management software that comes with the machine, you can achieve simple management of the membership such as sales and inventory.
 - MEMBERSHIP KEYBOARD**
 - The Membership level, points, discounts, recharge and other functions
 - The Membrane touch keyboard to achieve the operation of labor-saving durable
 - 99 hot keys can be turned 4 pages, quick and easy to insert and remove the hot key piece
 - SALES**
 - The Multiple groups of pending orders, manual automatic discount, change, change, refund, salesman login lock and other functions
 - PRINTING**
 - printing format, barcode format any editing
 - The Can print a variety of font size, 1D code, 2D code (traceability code), graphics and other information
 - POWER SUPPLY**
 - The AC and DC dual-use
 - The Lithium battery power supply, a full charge can standby for 15 hours
 - WATERPROOF**
 - The Waterproof grade IP65
- THE MACHINE IS AVAILABLE IN TWO MODELS: STAND-ALONE VERSION AND CHAIN VERSION**
- CHAIN VERSION**
 - The Support LAN and WAN, realize multi-scales network and multi-store chain
 - The Support offline sales, automatic uploading of offline data after communication resumes normal
 - The Docking with third-party software to achieve traceability management, sales and inventory management, membership management, mobile payment; bank card payment, membership card payment, and other functions



ADS-E

MEASUREMENT (MM)

SCALE SIZE	390*260 (L*W)
EXTERNAL DIMENSIONS	400*440*565 (L*W*H)

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3E/E+	ADS-6E/E+	ADS-15E/E+	ADS-30E/E+
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
KEYBOARD	hotkey number:99;function key number:35			
PRINT PAPER	receipt width<57MM diameter<80MM			
PRINT PERFORMANCE	print density:8 dot/MM; print width:48MM; print speed:100MM/S; print head life:100KM			



ADS-E+

CASH SCALE

ADS-E/E+

◎ 整机防虫设计

FUNCTION

FUNCTION SUMMARY

- SHOW**
 - The Full Chinese display interface
 - The Pinyin input method on the scale to edit product information, store name, etc.
 - The Full Chinese prompts for error messages and operation information
- PLU**
 - Full Chinese guidance for setting interface
 - 1 to 999999 PLU numbers can be edited
 - The 12000 PLUs can be stored
- REPORTS**
 - The 16000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, exception, salesperson report, etc. can be queried
- INTERFACE**
 - The Money box interface; Ethernet upload and download
 - U disk import and export; scan gun interface
- COMMUNICATION MANAGEMENT**
 - The Support TCP/IP protocol
 - The With the management software that comes with the machine, you can achieve simple management of the membership such as sales and inventory.
- MEMBERSHIP**
 - The Membership level, points, discounts, recharge and other functions
- KEYBOARD**
 - The Membrane touch keyboard to achieve the operation of labor-saving durable
 - 48hot keys can be turned 4 pages, quick and easy to insert and remove the hot key piece
- SALES**
 - The Multiple groups of pending orders, manual automatic discount, change, change, refund, salesman login lock and other functions
- PRINTING**
 - printing format, barcode format any editing
 - The Can print a variety of font size, 1D code, 2D code (traceability code), graphics and other information
- POWER SUPPLY**
 - The AC and DC dual-use
 - The Lithium battery power supply, a full charge can standby for 15 hours
- WATERPROOF**
 - The Waterproof grade IP65

ADS-C



The machine is divided into two models: stand-alone version and chain version

CHAIN VERSION

- The Support LAN and WAN, realize multi-scales network and multi-store chain
- The Support offline sales, automatic uploading of offline data after communication resumes normal
- The Docking with third-party software to achieve traceability management, sales and inventory management, membership management, mobile payment; bank card payment, membership card payment, and other functions.

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-3C/C+	ADS-6C/C+	ADS-15C/C+	ADS-30C/C+
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1/0.2/0.5G	0.2/0.5/1G	2G/5G	5G/10G
KEYBOARD	hotkey number:48;function key number:35			
PRINT PAPER	receipt:width<57MM diameter<80MM			
PRINT PERFORMANCE	print density:8 dot/MM; print width:48MM; print speed:100MM/S; print head life:100KM			



MEASUREMENT (MM)

SCALE SIZE	300*260 (L*W)
EXTERNAL DIMENSIONS	330*300*510 (L*W*H)

ADS-C+



FUNCTION

FUNCTION SUMMARY

- SHOW**
 - The Full Chinese display interface
 - The Pinyin input method on the scale to edit product information, store name, etc.
 - The Full Chinese prompts for error messages and operation information
- PLU**
 - Full Chinese guidance for setting interface
 - 1 to 999999 PLU numbers can be edited
 - The 12000 PLUs can be stored
- REPORTS**
 - The 16000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Year, month, day, single product, exception, salesperson report, etc. can be queried
- INTERFACE**
 - The Money box interface; Ethernet upload and download
 - U disk import and export; scan gun interface
- COMMUNICATION MANAGEMENT**
 - The Support TCP/IP protocol
 - The With the management software that comes with the machine, you can achieve simple management of the membership such as sales and inventory.
- MEMBERSHIP KEYBOARD**
 - The Membership level, points, discounts, recharge and other functions
 - The Membrane touch keyboard to achieve the operation of labor-saving durable
 - 99 hot keys can be turned 4 pages, quick and easy to insert and remove the hot key piece
- SALES**
 - The Multiple groups of pending orders, manual automatic discount, change, change, refund, salesman login lock and other functions
- PRINTING**
 - printing format, barcode format any editing
 - The Can print a variety of font size, 1D code, 2D code (traceability code), graphics and other information
- POWER SUPPLY**
 - The AC and DC dual-use
 - The Lithium battery power supply, a full charge can standby for 15 hours

THE MACHINE IS DIVIDED INTO TWO MODELS: STAND-ALONE VERSION AND CHAIN VERSION

CHAIN VERSION

- The Support LAN and WAN, realize multi-scales network and multi-store chain
- The Support offline sales, automatic uploading of offline data after communication resumes normal
- The Docking with third-party software to achieve traceability management, sales and inventory management, membership management, mobile payment, bank card payment, membership card payment, and other functions

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-6A	ADS-15A	ADS-30A
CAPACITY	6KG	15KG	30KG
RESOLUTION	1G/2G	2G/5G	5G/10G
KEYBOARD	hotkey number:54;function key number:25		
PRINT PAPER	receipt:width<57MM diameter<50MM		
PRINT	print density:8 dot/MM; print width:48MM;		
PERFORMANCE	print speed:100MM/S; print head life:80KM		



MEASUREMENT (MM)

SCALE SIZE	320*220 (L*W)
EXTERNAL DIMENSIONS	325*375*510 (L*W*H)



CASH SCALE

ADS-A Series

PRINT SCALE

ADS-B series



MEASUREMENT (MM)

SCALE SIZE	320*230 (L*W)
EXTERNAL DIMENSIONS	325*375*510 (L*W*H)

◎整机防虫设计

FUNCTION

FUNCTION SUMMARY

- SHOW**
- The Full Chinese display interface
 - The Pinyin input method on the scale to edit product information, store name, etc.
 - The Full Chinese prompt for error messages and operation information
 - The Full Chinese guidance for setting interface
- PLU**
- The 1-99999999 PLU numbers can be edited
 - 4000 PLUs can be stored
- REPORTS**
- The 8,000 single sales details can be stored, and the top record will be deleted automatically when it is full.
 - The Yearly, monthly, daily, single product reports can be queried.
- INTERFACE**
- Money box interface; U disk import and export
- INVENTORY**
- The Cooperate with the management software of this machine to realize the management of sales and inventory, profit inquiry
- POWER**
- Optional battery power supply, a full charge can standby for 20 hours
- SUPPLY**
- Battery overcharge and overdischarge self-protection function

PARAMETER

TECHNICAL PARAMETER

MODEL	ADS-6B	ADS-15B	ADS-30B
CAPACITY	6KG	15KG	30KG
RESOLUTION	1G/2G	2G/5G	5G/10G
KEYBOARD	hotkey number:48;function key number:28		
PRINT PAPER	receipt:width<57MM diameter<50MM		
PRINT PERFORMANCE	print density:8 dot/MM; print width:48MM; print speed:100MM/S; print head life:80KM		



FUNCTION

FUNCTION SUMMARY

- SHOW**
 - The Full Chinese display interface
 - The Pinyin input method on the scale to edit product information, store name, etc.
 - The Full Chinese prompt for error messages and operation information
 - The Full Chinese guidance for setting interface
- REPORT**
 - The The product information can be stored in 12,000 items at the same time, 8,000 single printing records, and the previous records will be deleted automatically when the storage is full.
 - The Year, month, day, single product and operator reports can be queried.
- INTERFACE COMMUNICATION MANAGEMENT**
 - Ethernet upload and download; U disk import and export
 - Support TCP / IP protocol (support LAN, WAN)
 - Cooperate with the machine's management software to achieve sales and inventory management, profit inquiry
- PLATE**
 - Membrane keyboard to achieve time-saving and durable entry
 - Hotkeys can be turned 4 pages to achieve quick and easy insertion and removal of hotkey pieces
- PRINTING**
 - Can print a variety of font size, upper and lower case letters, graphic trademarks, etc.
- OTHER**
 - Print format and barcode format can be designed at will
 - Each item can be independently preset with single weight, barcode, upper and lower limit alarm value, product profile and other information
 - The Print gross weight, net weight, tare weight and other information when counting weight
 - The Print weight, unit weight, quantity, etc. when counting
 - The Print detailed information when totaling
 - The Various special functions can be customized according to customers' requirements
 - The Quantitative alarm, automatic re-averaging, upper, middle and lower limit switch output function (connected to alarm light or PLC)
 - Built-in wireless module to build a flexible wireless solution
 - ADS-303 can be connected to multiple sensors
 - Switchable weight and count display interface
- OPTIONAL REMARKS**



PARAMETER

TECHNICAL PARAMETER

MODEL	NDS-1.5A	NDS-3A	NDS-6A	NDS-15A	NDS-30A
CAPACITY	1.5KG	3KG	6KG	15KG	30KG
RESOLUTION	0.05G	0.1/0.2/0.5G	0.2/0.5/1G	0.5G	1G
PRINT PAPER	Continuous Receipt Paper, label Receipt Paper, paper Width<62mm				
PRINT PERFORMANCE	Print Density:8 Dot/mm;print Width:58mm; Print Speed:100mm/s;print Head Life:100km				



ADS-303



COUNTING
LABEL SCALE
ADS-303/NDS

MEASUREMENT (MM)


EXTERNAL DIMENSIONS 305*245*210 (L*W*H)

NDS



MEASUREMENT (MM)

EXTERNAL DIMENSIONS 305*245*210 (L*W*H)



COMMUNICATION
SCALE
SF/ACS series

**SF SERIES
COMMUNICATION**

CAPACITY	3KG-40KG resolution:0.1G-10G
BODY	Aluminum alloy scale body, stainless steel scale pan
COMMUNICATION	compatible with all supermarket software on the market



FUNCTION

FUNCTION SUMMARY

- 18-bit a/d converter
- Adjustable reaction speed function
- Battery shortage self-protection function
- Money finder, totalizer and unit price preset function capacitive keys, labor-saving and waterproof
- Compatible with all supermarket software on the market

PARAMETER

TECHNICAL PARAMETER

M O D E L	ACS-3A	ADS-6A	ADS-15A	ADS-30A
CAPACITY	3KG	6KG	15KG	30KG
RESOLUTION	0.1/1G	0.2/2G	0.5G/5G	1G/10G
D I S P L A Y	LCD / LED			
V O L T A G E	AC220V DC6V 4AH			
P A C K A G I N G	360*390*140MM			

**ACS SERIES
COMMUNICATION**

